



Docket No.: M4065.0959/P959

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Dean A. Klein

Application No.: 10/796,111

Confirmation No.: 2460

Filed: March 10, 2004

Art Unit: 2818

For:

POWER MANAGEMENT CONTROL

AND CONTROLLING MEMORY

REFRESH OPERATIONS

Examiner: Not Yet Assigned

INFORMATION DISCLOSURE STATEMENT (IDS)

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Pursuant to 37 CFR 1.56, 1.97 and 1.98, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached PTO/SB/08. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This Information Disclosure Statement is filed within three months of the U.S. filing date (37 CFR 1.97(b)(1)).

Pursuant to United States Patent and Trademark Office Official Gazette Notice: 05 August 2003 ("Information Disclosure Statements May Be Filed Without Copies of U.S. Patents and Published Applications in Patent Applications filed after June 30, 2003") copies of the U.S. Patent Document references (i.e., references AA-AU7) on the PTO/SB/08 are not provided. Copies of the Foreign Patent Document references (i.e.,

Application No.: 10/796,111 Docket No.: M4065.0959/P959

references BA, BB, and BC) and the Other Prior Art – Non Patent Literature Document References (i.e., references CA – CO6) on the PTO/SB/08 are provided.

In accordance with 37 CFR 1.97(g), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 CFR 1.56(a) exists. In accordance with 37 CFR 1.97(h), the filing of this Information Disclosure statement shall not be construed to be an admission that any patent, publication or other information referred to therein is "prior art" for this invention unless specifically designated as such.

It is submitted that the Information Disclosure Statement is in compliance with 37 CFR 1.98 and the Examiner is respectfully requested to consider the listed references.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 04-1073, under Order No. M4065.0959/P959. A duplicate copy of this paper is enclosed.

Dated: June 10, 2004

Respectfully submitted,

Thomas J. D'Amico

Registration No.: 28,371

Michael A. Weinstein

Registration No.: 53,754

DICKSTEIN SHAPIRO MORIN &

OSHINSKY LLP

2101 L Street NW

Washington, DC 20037-1526

(202) 785-9700

Attorneys for Applicant

Sub	ostitute for form 1449A/PT	0		Complete if Known		
				Application Number	10/796,111	
			SCLOSURE	Filing Date	March 10, 2004	
S	STATEMENT	BY /	APPLICANT	First Named Inventor	Dean A. Klein	
	(use as many s	sheets as	necessarv)	Art Unit	2818	
				Examiner Name	Not Yet Assigned	
Sheet	1	of	13	Attorney Docket Number	M4065.0959/P0959	

			U.S. PA	TENT DOCUMENTS	
Examiner Initials*	Cite	Document Number Number-Kind Code ² (if known)	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant
IIIIIIIII				or cited bocament	Figures Appear
	AA	2002/0000666	1/2002	Kozicki et al.	
	AB	2002/0072188	6/2002	Gilton	
	AC	2002/0106849	08/2002	Moore	
	AD_	2002/0123169	09/2002	Moore et al.	
	AE	2002/0123170	09/2002	Moore et al.	
	AF	2002/0123248	09/2002	Moore et al.	
	AG	2002/0127886	09/2002	Moore et al.	
	AH	2002/0132417	09/2002	Li	
	AI	2002/0160551	10/2002	Harshfield	
	AJ	2002/0163828	11/2002	Krieger et al.	
	AK	2002/0168852	11/2002	Harshfield et al.	
	AL	2002/0190289	12/2002	Harshfield et al.	
	AM	2003/0001229	01/2003	Moore et al.	
	AN	2003/0027416	02/2003	Moore	
	AO	2003/0032254	02/2003	Gilton	
	AP	2003/0038301	02/2003	Moore	
	AQ	2003/0043631	03/2003	Gilton et al.	
	AR	2003/0045049	03/2003	Campbell et al.	
	AS	2003/0045054	03/2003	Campbell et al.	
	AT	2003/0047765	03/2003	Campbell	
	AU	2003/0047772	03/2003	Li	
	AV	2003/0047773	03/2003	Li	
	AW	2003/0049912	03/2003	Campbell et al.	
	AX	2003/0068861	04/2003	Li	
	AY	2003/0068862	04/2003	Li	
	AZ	2003/0095426	05/2003	Hush et al.	
	AA1	2003/0096497	05/2003	Moore et al.	
	AB1	2003/0107105	06/2003	Kozicki	
	AC1	2003/0117831	06/2003	Hush	
	AD1	2003/0128612	07/2003	Moore et al.	
	AE1	2003/0137869	07/2003	Kozicki	
	AF1	2003/0143782	07/2003	Gilton et al.	
	AG1	2003/0155589	08/2003	Campbell et al.	
	AH1	2003/0155606	08/2003	Campbell et al.	
	Al1	2003/0156447	08/2003	Kozicki	
	AJ1	2003/0156463	08/2003	Casper et al.	
	AK1	2003/0209728	11/2003	Kozicki et al	
	AL1	2003/0209971	11/2003	Kozicki et al	
	AM1	2003/0210564	11/2003	Kozicki et al	
	AN1	3,622,319	11/1971	Sharp	
	AO1	3,743,847	7/1973	Boland	
	AP1	4,269,935	5/1981	Masters et al.	
		4,312,938	1/1982	Drexler, et al.	
	AR1	4,316,946	1/1982	Masters, et al.	

Substitute for form 1449A/PTO						Complete if Known			
				00		Application Number	10/796,11	1	
					LOSURE		Filing Date	March 10,	2004
STATEMENT BY APPLICANT						First Named Inventor	Dean A. K	(lein	
						Art Unit	2818		
	(use as many si	neets as	nece	ssary)		Examiner Name		ssigned
l			1			-		Not Yet A	
Sheet		2	of		13		Attorney Docket Number	M4065.09	59/P0959
	IAS1	4,320,191			3/1982	Yosh	ikawa et al.		
		4,405,710	•		9/1983		subramanyam et al.		
	AU1	4,419,421			12/1983		elhaus, et al.		
	AV1	4,499,557			2/1985		berg et al.		
<u> </u>		4,671,618			06/1987	Wu e			
		4,795,657			1/1989		igoni et al.		
		4,800,526			01/1989	Lewi			
ļ		4,847,674			7/1989		et al.		
		5,177,567			1/1993		y et al.	<u> </u>	
<u> </u>	ABZ	5,219,788			6/1993		nathey et al.		
<u> </u>	AC2	5,238,862			8/1993		ck et al.		
		5,272,359			12/1993		subramanian et al.		
<u> </u>		5,314,772 5,315,131			5/1994	Kozio			
 					5/1994		moto et al.		
<u> </u>		5,350,484			9/1994		ner et al. n et al.		
<u> </u>		5,360,981			11/1994 3/1996		n et al. cki et al.		
		5,500,532 5,512,328			4/1996		imura et al.	_	
		5,512,773			4/1996	Wolf		- -	
		5,726,083		-	3/1998	Taka			
		5,751,012			5/1998		tenholme et al.		
-		5,789,277			8/1998		rik et al.		
		5,814,527			9/1998		tenholme et al		
		5,818,749			10/1998		hfield		
		5,841,150			11/1998		alez et al.		
		5,846,889			12/1998		ison et al.		
1		5,851,882			12/1998	Hars			
		5,869,843			2/1999		hfield		
		5,920,788			7/1999	Reinl	perg		
		5,998,066			12/1999		et al.		
	AW2	6,031,287			2/2000	Hars			
		6,072,716			6/2000	Jaco	oson et al.		
		6,077,729			6/2000	Hars			
<u> </u>		6,177,338			1/2001	Liaw			
<u></u>		6,117,720			9/2000	Hars			
		6,143,604			11/2000		ng et al.		
		6,236,059			5/2001		teinholme et al.		
<u> </u>		6,297,170			10/2001		iel et al.		
L		6,300,684			10/2001		alez et al.		
		6,316,784			11/2001		rik et al.		
		6,329,606			12/2001		nan et al.		
		6,350,679 6,376,284			2/2002 4/2002		aniel et al. alez et al.		
1		6,388,324	_						
		6,391,688			5/2002 5/2002		ki et al. alez et al.		
		6,414,376			7/2002		ur et al.		
		6,418,049			7/2002		ki et al.		
-		6,420,725			7/2002	Hars			
<u> </u>		6,423,628			7/2002	Liet			
L	1	10, 120,020				-, 61			

Substitute for form 1449A/PTO		Complete if Known		
		Application Number	10/796,111	
INFORMATION DISC		Filing Date	March 10, 2004	
STATEMENT BY AP	PLICANT	First Named Inventor	Dean A. Klein	
		Art Unit	2818	
(use as many sheets as ned	cessary)			
 		Examiner Name	Not Yet Assigned	
Sheet 3 of	13	Attorney Docket Number	M4065.0959/P0959	
AP3 6,440,837	8/2002 Hars	shfield		
AQ3 6,469,364	10/2002 Koz	icki		
AR3 6,473,332		tiev et al.		
AS3 US 2004/0035401		nachandran et al.		
AT3 US 2003/0212724		hinsky et al.		
AU3 US 2003/0048744		hinsky et al.		
AV3 US 2003/0212725		hinsky et al.		
AW3 US RE 37,259E		hinsky		
AX3 US 3,271,591		hinsky		
AY3 US 3,961,314		se et al.		
AZ3 US 3,966,317		cks et al.		
AA4 US 3,983,542		hinsky		
AB4 US 3,988,720		hinsky		
AC4 US 4,177,474		hinsky		
AD4 US 4,267,261		man et al.		
AE4 US 4,597,162		nson et al.		
AF4 US 4,608,296		m et al.		
AG4 US 4,637,895		hinsky et al.		
AH4 US 4,646,266		hinsky et al.		
Al4 US 4,664,939		hinsky		
AJ4 US 4,668,968 AK4 US 4,670,763		hinsky et al.		
		hinsky et al.	· · · · · · · · · · · · · · · · · · ·	
AL4 US 4,673,957 AM4 US 4,678,679		hinsky et al.		
AN4 US 4,696,758		hinsky hinsky et al.		
A04 US 4,698,234		hinsky et al.		
AP4 US 4,710,899		ng et al.		
AQ4 US 4,710,839		erjee et al.		
AR4 US 4,737,379		gens et al.		
AS4 US 4,766,471		hinsky et al.		
AT4 US 4,769,338		hinsky et al.		
AU4 US 4,775,425		a et al.		
AV4 US 4,788,594		hinsky et al.		
AW4 US 4,809,044		or et al.		
AX4 US 4,818,717		nson et al.		
AY4 US 4,843,443		hinsky et al.		
AZ4 US 4,845,533		or et al.		
AA5 US 4,853,785		hinsky et al.		
AB5 US 4,891,330		a et al.		
AC5 US 5,128,099		nd et al.		
AD5 US 5,159,661		hinsky et al.		
AE5 US 5,166,758	11/1992 Ovs	hinsky et al.		
AF5 US 5,177,567		sy et al.		
AG5 US 5,296,716		hinsky et al.		
AH5 US 5,335,219		hinsky et al.		
Al5 US 5,359,205		hinsky		
AJ5 US 5,341,328		hinsky et al.		
AK5 US 5,406,509		hinsky et al.		
AL5 US 5,414,271	5/1995 Ovs	hinsky et al.		

	titute for form 1449A/PT	•			·	Complete if I	Known
				Application Number	10/796,11	1	
	FORMATIO				Filing Date	March 10,	. 2004
S	TATEMENT	BY A	PPLICANT	First Named Inventor	Dean A. K		
	(uso as many s	shoote oe i	200000000	Art Unit	2818		
	(use as many s	sileets as i	iecessary)		Examiner Name	Not Yet A	ssianed
Sheet	4	of	13		Attorney Docket Number	M4065.09	
	Tanis luo s sous	1 1					
 	AM5 US 5,534,7 AN5 US 5,534,7		7/1996 7/1996		insky et al. insky et al.		
	AO5 US 5,536,9		7/1996		y et al.	-	
	AP5 US 5,543,7		8/1996		ninsky		
	AQ5 US 5,591,5		1/1997		ninsky et al.		
	AR5 US 5,596,5		1/1997		ninsky et al.	****	
	AS5 US 5,687,1		11/1997		ninsky		
	AT5 US 5,694,0)54	12/1997		ninsky et al.		
	AU5 US 5,714,7	768	2/1998	Ovsh	insky et al.		
	AV5 US 5,825,0		10/1998	Czub	atyj et al.		
	AW5 US 5,912,8		6/1999		insky et al.		
	AX5 US 5,933,3		8/1999		y et al.		
	AY5 US 6,011,7		1/2000		ninsky		
	AZ5 US 6,087,6		7/2000		insky et al.		
	AA6 US 6,141,2		10/2000		ninsky et al.		
	AB6 US 6,339,5		1/2002		ng et al.		
	AC6 US 6,404,6		6/2002		ery et al.		
	AD6 US 6,429,0		8/2002	Wick	er		
	AE6 US 6,437,3		8/2002	Xu			
<u> </u>	AF6 US 6,462,9		10/2002	Xu e			
<u> </u>	AG6 US 6,480,4		11/2002		_		
\vdash	AH6 US 6,487,1		11/2002 12/2002	_	et al.		
<u> </u>	AJ6 US 6,507,0		1/2003	Lowe	gens et al.		
	AK6 US 6,511,8		1/2003		gens et al.		
	AL6 US 6,511,8		1/2003		ery et al.		
	AM6 US 6,512,2	241	1/2003	Lai	ary ct ai.		
	AN6 US 6,514,8		2/2003	Xu e	al		
	AO6 US 6,531,3		3/2003	Gill e			
	AP6 US 6,534,7		3/2003	Denr			
	AQ6 US 6,545,2		4/2003	Chia			
	AR6 US 6,545,9		4/2003		ery et al.	··	
	AS6 US 6,555,8		4/2003		ery et al.		
	AT6 US 6,563,1		5/2003		ery et al.		
	AU6 US 6,566,7		5/2003	Xu			
	AV6 US 6,567,2		5/2003		ery et al.		
	AW6 US 6,569,7		5/2003		ng et al.		
	AX6 US 6,570,7		5/2003	Lowe			
	AY6 US 6,576,9		6/2003	Lowe			
	AZ6 US 6,586,7		7/2003	Lowe			
	AA7 US 6,589,7		7/2003		non et al.		
	AB7 US 6,590,8 AC7 US 6,593,1		7/2003	Lowe			
	AD7 US 6,593,1		7/2003	Denr			
			7/2003	Wick			
	AE7 US 6,605,5 AF7 US 6,613,6		8/2003 9/2003		ison et al. ion et al.		
_	AG7 US 6,621,0		9/2003		ng et al.		
	AH7 US 6,625,0		9/2003		ery et al.		
	AI7 US 6,642,1			Xu	ny ot an		
L	1, 11 100 0,042,1		11/2000	/\u			

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO							Complete if I	Known	
						Application Number	10/796,11	11	
INFORMATION DISCLOSURE						Filing Date	March 10	, 2004	
S	TAT	EMENT	BY /	APPLICAN1		First Named Inventor			
	0	use as many sh	eets as	necessary)		Art Unit	2818		
	•	,		,,		Examiner Name	Not Yet A	ssigned	
Sheet		5	of	13		Attorney Docket Number	M4065.09	959/P0959	
	AJ7	US 6,646,29	97	11/2003	Denr	nison			
		US 6,649,92		11/2003	Dennison				
		US 6,667,90		12/2003	Lowery et al.				
		US 6,671,71		12/2003	Ovshinsky et al.				
	AN7	US 6,673,70	00	1/2004	Dennison et al.				
	A07	US 6,674,11	15	1/2004	Hudg	gens et al.			
	AP7	US 6,687,42	27	2/2004	Ram	alingam et al.			
		US 6,690,02		2/2004	Pete	rson			
	AR7	US 6,696,35	55	2/2004	Denr	nison			
	AS7	US 6,687,15	53	2/2004	Lowe	ery			
	AT7	US 6,707,71	12	3/2004	Lowe	ery			
	AU7 US 6,714,954		3/2004	Ovst	ninsky et al.				
	J								
	↓								
	 								
	 								
L	<u></u>								

		FOREI	GN PATENT	DOCUMENTS		
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	
Initials*	No.1	Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear	T⁵
	BA	JP-56126916	10/1981	Akira et al.		
_	BB	WO 97/48032	12/18/1997	Kozicki et al.		
	ВС	WO 99/28914	06/10/1999	Kozicki et al.		

Examiner	Date
Signature	Considered

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

Applicant's unique citation designation number (optional). ² See attached Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

	substitute for form 1449B/PTC)		Complete if Known		
				Application Number	10/618,824	
	NFORMATION	1 DI	SCLOSURE	Filing Date	July 14, 2003	
	STATEMENT I	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned	
Shee	t 6	of	13	Attorney Docket Number	M4065.1006/P1006-A	

		OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS	
Examiner nitials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
	CA	Abdel-All, A.; Elshafie,A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853.	
	СВ	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.	
	СС	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.	T
	CD	Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.	
	CE	Afifi,M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342.	
	CF	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.	
	CG	Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171.	
	CH	Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.	Т
	CI	Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089.	
	CJ	Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.	
	CK	Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810	
	CL	Axon Technologies Corporation, TECHNOLOGY DESCRIPTION: <i>Programmable Metalization Cell(PMC)</i> , pp. 1-6 (Pre-May 2000).	
	СМ	Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557.	
	CN	Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029.	
	СО	Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.	
	CP	Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.	
	CQ	Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4.	T
	CR	Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155- 160.	
	cs	Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.	
	СТ	Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64.	
	CU	Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.	
-	CV	Bernede, J.C. et al., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xSe1+x thin film structures, Phys.Stat. Sol. (a) 74 (1982) 217-224.	

Su	bstitute for form 1449B/PTC)		Complete if Known		
				Application Number	10/618,824	
11	NFORMATION	1 DI	SCLOSURE	Filing Date	July 14, 2003	
l s	STATEMENT I	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as many she	eets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	7	of	13	Attorney Docket Number	M4065.1006/P1006-A	

cw	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg4I5, Solid State Ionics 70/71 (1994) 72-76.
CX	Boolchand, P., The maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x Glasses, Asian Journal of Physics (2000) 9, 709-72.
CY	Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703
CZ	Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.
CA1	Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420.
CB1	Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978.
CC1	Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in GexSe1-x glasses, Solid state comm. 45 (1983) 183-185.
CD1	Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (Tg), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.
CE1	Boolchand, P.; Grothaus, J, Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 th (1985) 833-36.
CF1	Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.
CG1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P, Intrinsically broken chalcogen chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.
CH1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392.
CI1	Cahen, D.; Gilet, JM.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room-Temperature, electric field induced creation of stable devices in CulnSe2 Crystals, Science 258 (1992) 271-274.
CJ1	Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.
CK1	Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe1-x films, Appl. Phys. Lett. 37 (1980) 1075-1077.
CL1	Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.
CM1	Chen, G.; Cheng, J.; Chen, W., Effect of Si3N4 on chemical durability of chalcogenide glass, J. Non-Cryst. Solids 220 (1997) 249-253.
CN1	Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891.
CO1	Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786.
CP1	Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J. Appl. Phys. 38 (1967) 753-756.
CQ1	Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155.
CR1	Dearnaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide films, Rep. Prog. Phys. 33 (1970) 1129-1191.
CS1	Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-Se, J. Non-Cryst. Solids 143 (1992) 162-180.
CT1	den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813.

Under	the Paperwork Reduction Act	of 199	5, no persons are required to r	U. S. Patent and Tradem	PTO/SB/08B (10-01) roved for use through 10/31/2002.OMB 0651-0031 ark Office: U.S. DEPARTMENT OF COMMERCE nation unless it contains a valid OMB control number.		
Su	bstitute for form 1449B/PTC)			Complete if Known		
				Application Number	10/618,824		
IN.	NFORMATION	I DI	SCLOSURE	Filing Date	July 14, 2003		
S	TATEMENT I	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton		
				Group Art Unit	Unit N/A		
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned		
Sheet	8	of	13	Attorney Docket Number	M4065.1006/P1006-A		

Sileet		<u> </u>	0,	13	, morney becautiful ison	1V14003.1000/F1000-A	
	ÇU1	silicon/nan	odisper		de, F., The hydrogena tem-Films of unique el	ted amorphous ectronic properties, J. Non-	
	CV1	Films 110	(1983)	107-113.	-	2-xSe1+x/n-Si diodes, Thin Solid	
	CW1				, Role of photoinduced s 155 (1993) 171-179.	d defects in amorphous GexSe1-	
	CX1			llas, J.; Galibert, G.; A films, Thin Solid Films		todissolution in amorphous	
	CY1					n amorphous GeSe5.5 thin films ol. (a) 123 (1991) 451-460.	
	CZ1	Phys. 70A	(1996)	507-516.		s Ge21Se17Te62, Indian J.	
	CA2	materials,	J. Non-	Cryst. Solids 130 (199	1) 85-97.	amorphous chalcogenide	
	CB2	Non-Cryst.	Solids	137-138 (1991) 1031-	1034.	es: A unified mechanism, J.	
	CC2				l, M., Conduction mec i, Vacuum 46 (1995) 7	hanism in the pre-switching 701-707.	
	CD2				of composition on the 6 s 376 (2000) 236-240.	electrical and optical properties	
	CE2	chalcogeni	de glas	s, Vacuum 44 (1993)		•	
	CF2	43 (1992)	253-257	7.		rties of Se75Ge7Sb18, Vacuum	
	CG2	glasses, Pi	hys. Re	v. Lett. 78 (1997) 442	2-4425	ffness threshold in Chalcogenide	
	CH2	on the elas (1997) 137	tic, plas -143.	stic and thermal behave	vior of covalent glasses	P., Role of network connectivity s, J. Non-Cryst. Solids 222	
	CI2	photodiffus	ed amo	orphous Ag-GeSe2 thi	n films, Phys. Rev. B 3	A., Structure and bonding in 38 (1988) 12388-12403.	
	CJ2	selenium, I	Phys. S	tat. Sol. (a) 64 (1981)	311-316.	crystallization of amorphous	
	CK2	Solids 6 (1	971) 49) -71.		semiconductors, J. Non-Cryst.	
	CL2	Materials S	cience	2 (1972) 697-744.		uctors, Annual Review of	
	CM2	synthesize currently A	d by ter SAP.	mplating against nano	wires of trigonal Se, J.	nanowires of Ag2Se can be Am. Chem. Soc. (2001)	
	CN2	on reversib 1013-1018	le phas	se transition phenome	na in telluride glasses,	S., Nonvolatile memory based Jap. J. Appl. Phys. 28 (1989)	
	CO2	of Ge-Se c Cryst. Solid	halcoge is 298 (enide glasses below T (2002) 260-269.	g: elastic recovery and	I.; Lucas, J., Indentation creep d non-Newtonian flow, J. Non-	
	CP2	scratchabil 1545-52.	ity of ge	ermanium-selenium ch	alcogenide glasses, J	, J., Hardness, toughness, and . Am. Ceram. Soc. 85 (2002)	
	CQ2	Gupta, Y.P	., On e	ectrical switching and	memory effects in am	orphous chalcogenides, J. Non-	

Substitute for form 1449B/PTO				Complete if Known		
				Application Number	10/618,824	
11	NFORMATION	1 DI	SCLOSURE	Filing Date	July 14, 2003	
S	STATEMENT B	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
(use as many sheets as necessary)				Examiner Name	Not Yet Assigned	
heet	9	of	13	Attorney Docket Number	M4065.1006/P1006-A	

		5 5. 10 MITOUS, 1000/1 1000-A
	Τ	Cryst. Sol. 3 (1970) 148-154.
	CR2	Haberland, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414.
	CS2	Haifz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954.
	CT2	Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.
	CU2	Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061.
	CV2	Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828.
	CW2	Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369.
	CX2	Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164.
	CY2	Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CZ2	Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 24-29 (1982).
	CA3	Hilt, DISSERTATION: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999).
	СВЗ	Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979).
-	CC3	Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200.
	CD3	Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214.
	CE3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191.
	CF3	Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal- non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50.
	CG3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43.
	СНЗ	Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983).
	СІЗ	lizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155.
	CJ3	Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066.
	СКЗ	lyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142.
_	CL3	Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18.
_	СМЗ	Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.
	CN3	Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As2Se5, Mat. Res.

Su	bstitute for form 1449B/PTO)		Complete if Known		
				Application Number	10/618,824	
11	NFORMATION	1 DI	SCLOSURE	Filing Date	July 14, 2003	
5	STATEMENT B	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton	
			-	Group Art Unit	N/A	
	(use as many she	eets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	10	of	13	Attorney Docket Number	M4065.1006/P1006-A	

Sheet		10	0,	13	Attorney Docket Number	M4003.1000/F1000-A				
·		Bull. 8 (19	73) 433	-442.			$\overline{}$			
	СОЗ	Kaplan, T.	Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543.							
	CP3	Kawaguchi et al., Mechanism of photosurface deposition, 164-166 J. Non-CRYST. SOLIDS, pp. 1231-1234 (1993).								
	CQ3 Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermal induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104.									
	CR3	Kawaguch photodopir	i, T.; Ma ng in ch	asui, K., Analysis of alcogenide film, Jap	change in optical transi on. J. Appl. Phys. 26 (19	mission spectra resulting from Ag 987) 15-21.				
	CS3	Kawasaki,	M.; Ka	wamura, J.; Nakam		conductivity of Agx(GeSe3)1-x				
	СТЗ	GexSe100	-x, J. N	on-Cryst. Solids 124	4 (1990) 186-193.	todiffusion in amorphous				
	CU3	Solids 198	-200 (1	996) 728-731.		ous chalcogenides, J. Non-Cryst.				
	CV3	Kolobov, A 137-138 (1	N.V., Lat 1991) 10	eral diffusion of silv 027-1030.		ide films, J. Non-Cryst. Solids				
	CW3	Korkinova,	Ts.N.;	Andreichin,R.E., Ch 194 (1996) 256-259		zation and the type of contacts, J.				
	CX3	Kotkata, Mamorphous	I.F.; Afit s GeSe	, M.A.; Labib, H.H.; TI chalcogenide ser	Hegab, N.A.; Abdel-Azi niconductor films, Thin S	z, M.M., Memory switching in Solid Films 240 (1994) 143-146.				
	CY3	Kozicki et al., Silver incorporation in thin films of selenium rich Ge-Se glasses, International Congress on Glass, Volume 2, Extended Abstracts, July 2001, pgs. 8-9.								
	CZ3	Michael N. 2000	Kozick	i, 1. Programmable	Metallization Cell Techr	nology Description, February 18,				
	CA4		Michael N. Kozicki, Axon Technologies Corp. and Arizona State University, Presentation to Micron Technology, Inc., April 6, 2000							
	CB4	Kozicki et	Kozicki et al., Applications of Programmable Resistance Changes In Metal-Doped Chalcogenides, Electrochemical Society Proceedings, Volume 99-13, 1999, pgs. 298-309.							
	CC4	Kozicki et al., Nanoscale effects in devices based on chalcogenide solid solutions, Superlattices and Microstructures, Vol. 27, No. 516, 2000, pgs. 485-488.								
	CD4	Kozicki et	al., Nar	oscale phase separ	ation in Ag-Ge-Se glass	ses, Microelectronic Engineering				
	CE4	Lakshmina devices: n 16-19.	63 (2002) pgs 155-159. Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19							
	CF4	chalcogeni	ide glas	ses, Indian Journal	of pure & appl. phys. 29	nory and threshold switching (1991) 303-304.				
	CG4	Leimer, F.; with blocki (1975) K12	Stotze ng Al co 29-K132	I, H.; Kottwitz, A., Is ontacts influenced b	othermal electrical polar y Poole-Frenkel conduc	risation of amorphous GeSe films tion, Phys. Stat. Sol. (a) 29				
	CH4	Appl. Phys	.Lett. 4	6 (1985) 543-545.		sion of Ag in GexSe1-x glass,				
	CI4	system, Ja	p. J. Ar	pl. Phys. 11 (1972)	1657-1662.	effect observed on Se-SnO2				
	CJ4	selenium tl	hin film:	s, Jpn. J. Appl. Phys	s. 11 (1972) 606.	effect observed on amorphous				
	CK4	Mazurier, F V2O5 base	F.; Levy ed glass	, M.; Souquet, J.L, ses, Journal de Phy	Reversible and irreversil sique IV 2 (1992) C2-18	ble electrical switching in TeO2- 5 - C2-188.				
	CL4	McHardy e	t al., Th	ne dissolution of me	tals in amorphous chalc	ogenides and the effects o				

Sui	bstitute for form 1449B/PTC	<u> </u>		Complete if Known		
				Application Number	10/618,824	
l IN	NFORMATION	1 DI	SCLOSURE	Filing Date	July 14, 2003	
l s	STATEMENT I	BY A	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	11	of	13	Attorney Docket Number	M4065.1006/P1006-A	

Sneet		11	OI	13	Attorney Docket Number	IN4065.1006/P1006-A				
f .		electron ar	d ultrav	riolet radiation, 20 J. I	Phys. C.: Solid State P	Phys., pp. 4055-4075 (1987)f	Т			
	CM4	Messoussi	, R.; Be	rnede, J.C.; Benhida,		A., Electrical characterization of				
	CN4	Mitkova, M	.; Boolo		origin of the glass for	rming tendency in chalcogenides				
	CO4	Mitkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.								
	CP4	Miyatani, Sy., Electronic and ionic conduction in (AgxCu1-x)2Se, J. Phys. Soc. Japan 34 (1973) 423-432.								
	CQ4	Miyatani, S	y., Ele	ectrical properties of A	g2Se, J. Phys. Soc. J	apan 13 (1958) 317.	1			
	CR4	(1959) 996	-1002.			Se, Journal Phys. Soc. Japan 14				
	CS4	(1968) 1-1	7.			ons, J. Non-Cryst. Solids 1				
	CT4	transitions	in chalc	ogenide thin films, Jr	on. J. Appl. Phys. 32 (1					
	CU4	nonvolatile Appl. Phys	memor . 39 (20	y cell based on rever 00) 6157-6161.	sible phase transition i	A.; Suzuki, M., Submicron in chalcogenide glasses, Jpn. J.				
	CV4	Nang, T.T. parameters	; Okuda s of Gex	i, M.; Matsushita, T.; Se1-x amorphous th	Yokota, S.; Suzuki, A., n films, Jap. J. App. P	, Electrical and optical hys. 15 (1976) 849-853.				
	CW4	Narayanan	, R.A.;	Asokan, S.; Kumar, A	., Evidence concerning	g the effect of topology on ev. B 54 (1996) 4413-4415.				
	CX4	Neale, R.G	.; Aselt		tion of amorphous mat	terials to computer memories,				
	CY4	Ovshinsky	S.R.; F	ritzsche, H., Reversib	le structural transform Mettalurgical transaction					
	CZ4	Ovshinsky,	S.R., F	Reversible electrical s 8) 1450-1453.	witching phenomena i	n disordered structures, Phys.				
	CA5					., New amorphous-silicon roc. 129 (1982) 51-54				
	CB5	Owen, A.E	.; Firth,	A.P.; Ewen, P.J.S., F		al and physico-chemical changes				
	CC5	devices, In	t. J. Ele	ctronics 73 (1992) 89	7-906.	J., Switching in amorphous				
	CD5	Micron Stru	ıctures,	Nanostructure Physi	cs and Fabrication, pp	ution Lithography and Sub- . 447-451 (M. Reed ed. 1989).				
	CE5	Phys. Lett.	14 (196	S9) 280-282.		nducting glass diodes, App.				
	CF5				eld induced memory sy Phys. Lett. 19 (1971) 2	witching in thin films of the 21-223.				
	CG5	Popescu, Cof structure	., The	effect of local non-uni chalcogenide glasses	formities on thermal so Solid-state electronic	witching and high field behavior is 18 (1975) 671-681.				
	CH5	Popescu, C	C.; Croit	oru, N., The contribut on-Cryst. Solids 8-10	ion of the lateral therm	nal instability to the switching				
	CI5	Popov, A.I.	; Geller	, I.KH.; Shemetova, \	7.K., Memory and thres a) 44 (1977) K71-K73.	shold switching effects in				
	CJ5	Prakash, S	.; Asoka		asily reversible memo	ry switching in Ge-As-Te				
	CK5	Rahman, S Eng. B12 (.; Sivar	ama Sastry, G., Elect	ronic switching in Ge-l	Bi-Se-Te glasses, Mat. Sci. and				

Attorney Docket Number M4065.1006/P1006-A

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Known Substitute for form 1449B/PTO Application Number 10/618,824 INFORMATION DISCLOSURE July 14, 2003 Filing Date STATEMENT BY APPLICANT Terry L. Gilton First Named Inventor N/A Group Art Unit (use as many sheets as necessary) Examiner Name Not Yet Assigned

Sheet	12		OI	13	Attorney Bocket Number	1014005.1000/P1000-A		
	CL5			kan, S.; Sangunni, K.S doped with Cu and Ag		trical Switching in germanium 99) 421-425.		
	CM5	Rose,M.J.; silicon ana	Hajto, logue	J.;Lecomber,P.G.;Gag memory devices, J. No	e,S.M.;Choi,W.K.;Sne on-Cryst. Solids 115 (1	ell,A.J.;Owen,A.E., Amorphous 1989) 168-170.		
	CN5	volatility in	a -Si:l	H memory devices, Ma	t. Res. Soc. Symp. Pr	Owen,A.E., Aspects of non- oc. V 258, 1992, 1075-1080.		
,	CO5	Non-Cryst.	Solids	29 (1978) 397-407.		alcogenide switching devices, J.		
	CP5	vacuum, P	roc. In	dian Natn. Sci. Acad. 4	16, A. (1980) 362-368.			
	CQ5	and applied	d phys	. 35 (1997) 424-427.		er selenide films, Ind. J. Of pure		
	CR5	46 B. CHEM	Soc. J	APAN, No. 12, pp. 3662-33	365 (1973).	hoto-Doped Chalcogenide Glasses,		
	CS5	memory ef 1257-1262	fects ii	n metal/a-Si:H/metal m	emory devices, J. No	.; Osborne, I.L., Analogue n-Cryst. Solids 137-138 (1991)		
	CT5	Analogue r Proc. V 29	nemor 7, 199	y effects in metal/a-Si: 3, 1017-1021.	H/metal thin film struc	Owen, A.E.; Gibson, R.A.G., ctures, Mat. Res. Soc. Symp.		
	CU5	Appl. Phys	. 8 (19	75) L120-L122.		memory devices, J. Phys. D:		
	CV5	Non-Cryst. Solids 21 (1976) 319-329.						
	CW5	glasses, Ap	p. Ph	ys. Lett. 15 (1969) 55-	57.	s in semiconducting chalcogenide		
	CX5	(1990) 137	3-137	7.		process, Mod. Phys. Lett B 4		
	CY5	Tanaka, K. phenomen 389.	; lizim on in d	a, S.; Sugi, M.; Okada, halcogenide amorpho	Y.; Kikuchi, M., Therrus semiconductors, So	mal effects on switching olid State Comm. 8 (1970) 387-		
	CZ5	(1973) 3-15	5.			nalcogenide, J. Elect. Mat. 2		
	CA6	(1972) 113	-120.	_	·	selenide, J. Non-Cryst. Solids 11		
	CB6	in amorpho	us ars	senic triselenide, Journ	al(??) (1972) 4609-46	separation and memory switching 312.		
	CC6	J. Non-Cry	st. Sol	ids 261 (2000) 277-28	1.	exSe1-x and AsxSe1-x systems,		
	CD6	glasses, Pl	nys. R	ev. B 48 (1993) 14650	-14652.	and short-range order in As-Te		
	CE6	glasses Ag relations in symposium	-Ge-S fast ic n. 9-13	e: lonic conduction and on and mixed conductors September 1985.	d exafs structural inve ers Proceedings of the	garde,J.P., Silver chalcogenide stigation, Transport-structure 6th Riso International		
	CF6	effects, Thi	n Solie	d Films 57 (1979) 49-5	4.	films: switching and memory		
	CG6	Ge0.4Se0.	6, J. N	on-Cryst. Solids 117-1	18 (1990) 219-221.	uced crystallization of amorphous		
	СН6			enson, H.; Sie, C.H.; G n in As-Te-Ge glass, J		n, K.S., Electric field induced (1970) 358-370.		

Sheet

12

of

13

Sul	ostitute for form 1449B/PTC)		Complete if Known		
				Application Number	10/618,824	
IN	IFORMATION	1 DI	SCLOSURE	Filing Date	July 14, 2003	
S	TATEMENT	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton	
				Group Art Unit	N/A	
	(use as many she	eets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	13	of	13	Attorney Docket Number	M4065.1006/P1006-A	

	CI6	Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J. Non-Cryst. Solids 33 (1976) 267-272.	
	CJ6	Vodenicharov, C.; Parvanov,S.; Petkov,P., Electrode-limited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454.	
	CK5	Wang, SJ.; Misium, G.R.; Camp, J.C.; Chen, KL.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992)471-472.	
	CL5	Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73.	
	СМ6	West, W.C.; Sieradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the Ag As0.24S0.36Ag0.40 Ag System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974	
	CN6	West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of multifractal aggregates, Ph.D. Dissertation, ASU 1998	
	CO6	Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, Tg, with average coordination number, <m>, in network glasses: evidence of a threshold behavior in the slope dTg/d<m> at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst. Solids 151 (1992) 149-154.</m></m></m>	
-			
ļ			
	-		<u> </u>
	-		
			
	_		

Examiner	Date	
Signature	Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.